

SECTION - 1

SAFETY DATA SHEET

Hydroxi Pro Concentrate Revision Date 12/18/2015

CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME Hydroxi Pro Concentrate ITEM HPC-128C

PRODUCT USE Hard Surface Cleaner

COMPANY NAME Core Products Co., Inc. Office (800) 825-2673

401 Industrial Rd Fax (903) 567-1346

Canton TX 75103 Web www.coreproductsco.com

EMERGENCY TELEPHONE NUMBER CHEMTREC (800) 424-9300

SECTION – 2 HAZARDS INFORMATION

Health Hazards EYES-Category 1; SKIN-Category 2; STOT SINGLE EXPOSURE-Category 3



Eye Damage

DANGER Causes serious eye damage, Causes skin irritation, May cause respiratory irritation

May be harmful if swallowed, Avoid eye or skin contact, and inhalation of mist, Use personal protective equipment as required, Wash thoroughly after handling, Avoid release into the environment

SECTION - 3COMPOSITION INFORMATION(Exact percentage of the listed chemicals of composition has been withheld as a trade secret)CHEMICAL NAMECOMMON NAME AND SYNONYMSCAS #IMPURITIESPERCENTAlcohol EthoxylateAlcohols, C9-11, ethoxylated68439-46-31 - 8%Hydrogen Peroxide7722-84-14.08%

SECTION – 4 FIRST AID MEASURES

EYE CONTACT Immediately flush eyes with cold water for at least 15 minutes while lifting upper and lower eyelids, Remove contact

lenses if present and easy to do without injury to the eye and continue rinsing, If irritation persists seek medical aid

SKIN CONTACT Wash contaminated skin with plenty of soap and water, Remove any contaminated clothing and wash before reuse, If

irritation occurs or persists seek medical aid

INHALATION Move person to fresh air, if they have problem breathing, show signs of overexposure or feel unwell obtain medical

attention

INGESTION DO NOT INDUCE VOMITING. If person is fully conscious, rinse mouth out and give one to two glasses of water to

dilute and obtain immediate medical attention. If vomiting occurs, keep head below hips to prevent aspiration into the

lungs

Aspiration Hazard Not applicable

ACUTE SYMPTOMS OF SINGLE OVEREXPOSURE

Eyes Can cause serious eye irritation, redness, tearing, or pain, or possible eye damage, by direct product eye contact

Skin Can cause serious skin irritation, redness, burning, drying or cracking

Inhalation Spray mist may cause mild irritation, to mucus membranes or respiratory tract

Ingestion Harmful if swallowed, May cause irritation, of the mouth, throat, and esophagus, Slight acute toxicity if swallowed

CHRONIC SYMPTOMS OF PROLONGED OR REPEATED OVEREXPOSURE

Eyes Causes serious eye damage, redness, tearing, pain, or possible corneal injury, by direct product eye contact

Skin Causes skin irritation, redness, burning, defatting of the skin which may lead to dermatitis

Inhalation Spray mist may cause irritation, to nose, throat or mucus membranes

Ingestion Harmful if swallowed, Can cause irritation, of the mouth, throat, and esophagus, Moderate acute toxicity if swallowed

SECTION – 5 FIRE FIGHTING MEASURES

Extinguishing Media Not flammable: Use extinguishing media for surrounding fire

Hazardous Decomposition Burning or thermal decomposition can produce, carbon monoxide, carbon dioxide, and other toxic fumes

Reactive With Reactive with, strong oxidizing agents, strong bases, strong acids, powdered metals, zinc, iron, copper, nickel,

brass

Explosion Hazards Not applicable
Static Discharge Not applicable
Mechanical Impact Not applicable

Protective Equipment Use MSHA/NIOSH approved self-contained breathing apparatus and full protective gear

SECTION - 6 **ACCIDENTAL RELEASE MEASURES**

Emergency Procedures Warn personnel of spill

Personal Precautions Ventilate area, Avoid slipping on spilled product

Protective Equipment Safety Glasses, Gloves

Containment Use rags, towels, absorbent socks or pads to prevent spill from spreading

Clean Up Procedures Use wet vacuum or mop and wringer to pick up spilled material then mop area with clean water Disposal Dispose of material in accordance with all State and Federal Guidelines and Regulations

HANDLING AND STORAGE SECTION - 7

Handling Use appropriate safety equipment, and adequate ventilation, Avoid eye and skin contact, Avoid inhalation of

mist, May be harmful if swallowed, Wash thoroughly after handling, Avoid release to the environment, Triple

rinse container before discarding

Storage KEEP OUT OF REACH OF CHILDREN. Keep container closed when not in use. Store away from incompatible

materials, Avoid storing in direct sunlight, Stored above 4.4°C (40°F) and below 49°C (120°F)

Incompatible Materials Incompatible with, strong oxidizing agents, strong bases, strong acids, powdered metals, zinc, iron, copper,

nickel, brass

EXPOSURE CONTROLS / PERSONAL PROTECTION SECTION - 8

EXPOSURE LIMITS					Significant
CHEMICAL NAME	ACGIH (TWA 8)	ACGIH (STEL)	OSHA PEL (TWA 8)	OSHA (CEIL)	Exposure
Hydrogen Peroxide	1 ppm (1.4 mg/m³)		1 ppm (1.4 mg/m³)		RT
Alcohol Ethoxylate	None Established				

PERSONAL PROTECTIVE EQUIPMENT








Impervious Chemical Gloves



(Recommended)



HMIS HAZARD RATINGS Health **Flammability** O Reactivity 1 **Personal Protection** В

SECTION - 9 PH	YSICAL AND CHEMICAL PROPERTIES		
Flash Point	> 93.3°C (200°F) - TAG Closed Cup	Specific Gravity / Density	1.00
Flammable Limits	ND	pH (± 0.3)	6.0 - 6.5
Auto-Ignition Temp.	ND	Viscosity	ND
Physical State	Liquid	Freeze Point	0°C (32°F)
Appearance	Clear	Boiling Point	100°C (212°F)
Odor	Orange	Vapor Density (air=1)	ND
Odor Threshold	ND	Vapor Pressure (mm Hg)	ND
Solubility	100%	Evaporation Rate (nBuAc=1)	ND
Volatiles	< 93%	Partition Coefficient	ND
VOC	0.002% @ 1:128	Molecular Weight (g/mol)	50.25 g/mol
LVP-VOC	0.00%	Decomposition Temperature	ND
SECTION - 10 ST	ABILITY AND REACTIVITY		

Reactivity (Specific Test Data) None available

Stable when stored above 4.4°C (40°F) and below 49°C (120°F) **Chemical Stability**

Hazardous Polymerization Will not occur

Conditions To Avoid Incompatible materials, Direct sunlight

Incompatible Materials Incompatible with, strong oxidizing agents, strong bases, strong acids, powdered metals, zinc, iron, copper,

nickel, brass

Thermal Decomposition Burning or thermal decomposition can produce, carbon monoxide, carbon dioxide, and other toxic fumes Page 3 of 5 Hydroxi Pro Concentrate Revision Date 12/18/2015

SECTION – 11 TOXICOLOGICAL INFORMATION

ROUTES OF EXPOSURE

Eyes (Yes), Skin (Yes), Inhalation (Yes "Mist"), Ingestion (Yes)

ACUTE SYMPTOMS OF SINGLE OVEREXPOSURE

Eyes Can cause serious eye irritation, redness, tearing, or pain, or possible eye damage, by direct product eye contact

Skin Can cause serious skin irritation, redness, burning, drying or cracking

Inhalation Spray mist may cause mild irritation, to mucus membranes or respiratory tract

Ingestion Harmful if swallowed, May cause irritation, of the mouth, throat, and esophagus, Slight acute toxicity if swallowed

CHRONIC SYMPTOMS OF PROLONGED OR REPEATED OVEREXPOSURE

Eyes Causes serious eye damage, redness, tearing, pain, or possible corneal injury, by direct product eye contact

Skin Causes skin irritation, redness, burning, defatting of the skin which may lead to dermatitis

Inhalation Spray mist may cause irritation, to nose, throat or mucus membranes

Ingestion Harmful if swallowed, Can cause irritation, of the mouth, throat, and esophagus, Moderate acute toxicity if swallowed

Acute Tox Calculated Oral: 7,309 mg/kg Dermal: 13,643 mg/kg Inhaled: 17.2 mg/L

Acute Tox Category Not applicable (Oral >5000 mg/kg), Not applicable (Dermal > 5000 mg/kg), Not applicable (Inhaled >12.5 mg/L) Dust or Mist

Additional Info

Target Organs Respiratory Tract, Eyes (Lens or cornea), Skin

Medical Conditions Preexisting, eye, skin, respiratory, disorders may be aggravated by exposure to this product

Notes to Physician In case of ingestion, gastric lavage with activated charcoal can be used promptly to prevent absorption

CARCINOGENIC – This product contains concentrations above 0.1% of the following:

CHEMICAL NAMENTPACGIHIARCGHS Category

None Listed NA NA NA NA NA

MUTAGENIC AND REPRODUCTIVE EFFECTS - This product contains concentrations above 0.1% of the following:

CHEMICAL NAME Germ Cell Mutagenicity Toxic to Reproduction

None Listed NA NA

COMPONENTS ACUTE TOXICITY

CHEMICAL NAME	<u>Type</u>	<u>Form</u>	<u>Subject</u>	Result Value	Exposure Time	GHS Category
Alcohol Ethoxylate	LD50	Oral	Rat	> 2,000 mg/kg		(>2000 mg/kg)
	LD50	Dermal	Rabbit	> 2,000 mg/kg		(>2000 mg/kg)
Hydrogen Peroxide	LD50	Oral	Rat	1,270 mg/kg		4 (>300, ≤2000 mg/kg)
	LD50	Inhaled	Rat	2.0 mg/L	4 Hour (Mist)	4 (>1.0, ≤5 mg/L)
	LD50	Dermal	Rabbit	> 2,000 mg/kg		(>2000 mg/kg)

SECTION – 12 ECOLOGICAL INFORMATION

CHEMICAL NAME	<u>Type</u>	Subject Subject Latin	Result Value	Exposure Time	GHS Category
Alcohol Ethoxylate	LD50	Fathead minnow (Pimephales promelas)	12 mg/L	96 Hours	3 (>10, ≤100 mg/L)
	EC50	Water Flea (Daphnia magna)	10 mg/L	48 Hours	2 (>1, ≤10 mg/L)
Hydrogen Peroxide	LC50	Fathead Minnow (Pimephales promelas)	16.4 mg/L	96 Hours	3 (>10, ≤100 mg/L)

Presistence And Degradability This product is inherently biodegradable according to the OECD definition

Bioaccumulative Potential There is no evidence to suggest bioaccumulation will occur

Mobility In Soil This material is a mobile liquid

Other Adverse Effects Harmful to aquatic life

SECTION – 13 DISPOSAL CONSIDERATIONS

DO NOT DUMP INTO ANY STORM SEWERS, ON THE GROUND, OR INTO ANY BODY OF WATER

Dispose of any waste in accordance with all State and Federal Guidelines and Regulations

ENVIRONMENTAL FATE

Under RCRA rules, it is the responsibility of the user of the product to determine, at the time of disposal, whether the material is a hazardous waste.

CONTAINER DISPOSAL - Triple rinse container then offer for recycling. If not available, puncture and dispose in a sanitary landfill.

SECTION – 14 TRANSPORT INFORMATION

DOT CLASSIFICATION

UN Number Proper Shipping Name n.o.s. (Chemicals) or "Limits"

Not Regulated Non Regulated Material

<u>Hazard Class</u> <u>Packing Group</u> <u>Label Codes</u> <u>Reportable Quantity (lbs)</u> <u>Response</u> <u>Marine Pollutant</u> <u>Hazard Label</u> <u>Secondary</u>

None None None 128 No

Additional Info:

rage 4 of 3			пу	UI UXI F	IO COII	Centrate				L	בעוטוטוו שם	ile	12/10/2013
SECTION – 15 REGULATOR	RY INFORMATIO	N											
TSCA													
CHEMICAL NAME	Sec 8(b) li	nventory	S	ec 8(d) H	lealth An	nd Safety	Se	c 4(a) Che	mical Test R	Rules	Sec 12(b) Expor	t Notification
Alcohol ethoxylate	Ye	es											
Hydrogen Peroxide	Ye	es											
REPORTABLE QUANTITIES	E	xtremely	Hazardou	ıs	ı	Reportable C	uantity	Emission	n Reporting				
CHEMICAL NAME	EPCRA TPC	Sec 302	EPCRA	RQ Sec	304 (CERCLA RQ	Sec 103	TRIS	Sec 313	RCI	RA Code	RMF	7 TQ Sec 112
Hydrogen Peroxide (> 52%)						1000)						
SARA	Sec	ction 31	1				Section	on 311 / 3	12 Hazard	ls			
CHEMICAL NAME	Hazardo	ous Che	emical		Acute	C	hronic	FI	ammable	F	Pressure		Reactive
Alcohol Ethoxylate		Yes											
Hydrogen Peroxide		Yes			Yes		Yes						Yes
RIGHT TO KNOW						STATE							
CHEMICAL NAME	CA	CT	FL	IL	LA	NJ	NY	PA	MI	MN	MA	RI	WI
Hydrogen Peroxide						Yes		Yes			Yes		
CALIFORNIA			WARNI	NG! Th	is prod	uct contail	ns chem	icals kno	wn to the	state o	of Californ	ia to c	ause:
CHEMICAL NAME	CAS#		Birth D	efects		Reproduc	tive Har	m	Carcino	gen	D	evelo	omental
None Listed													
CLEAN AIR WATER ACTS			Clean	Air Ac	ts				C	lean W	ater Acts		
CHEMICAL NAME	CAS#		HAP		Ozon	e Class 1	Ozor	ne Class :	2 F	IS	PP		TP
None Listed													
INTERNATIONAL REGULATIONS	_ The compor	nents of	this prod	uct are	listed or	n the chem	ical inve	ntories of	the followi	ng cour	ntries:		
CHEMICAL NAME	Austra	alia	Ca	anada	Ει	urope (EIN	ECS)	Japa	n	Ko	orea		UK
Alcohol Ethoxylate	Yes	;	,	Yes		Yes		Yes	;	Y	'es		Yes
Hydrogen Peroxide	Yes	;	•	Yes		Yes		Yes	;	Y	'es		Yes
WHMIS Classification													
CHEMICAL NAME		DSL	Class	Desc	ription								
Alcohol Ethoxylate, Hydrogen F	Peroxide	Yes	D-2B			ausing Otl	ner Tox	ic Effects	s; Toxic M	1aterial			
Hydrogen Peroxide			С	Oxid	izing M	laterial							

SECTION – 16 OTHER INFORMATION

<u>SDS</u>	LEGEND DESCRIPTION		
ACGIH	American Conference of Governmental Industrial Hygienists	LC50	A concentration that is lethal to 50% of a given species in a given time
CAS	Chemical Abstracts Service Registry	LD50	Dose that is lethal to 50% of a given species by a given route of exposure
CEIL	Ceiling Limit (15 minutes)	LEL	Lower Explosive Limit
CERCL	Comprehensive Environmental Response, Compensation, and Liability Act	LD	Liver Damage
CI	Cochlear Impairment	NA	Not Applicable
CNS	Central Nervous System	ND	Not Determined
EC50	Concentration of a chemical that gives half-maximal response	NFPA	National Fire Protection Association
EPA	Environmental Protection Agency	NIOSH	National Institute for Occupational Safety and Health
Eye	(EI = Irritation) (ED = Damage) (EV = Visual Impairment)	NE	Not Established
FBG	Full Bunker Gear	NTP	National Toxicology Program
GHS	Globally Harmonized System	OSHA	Occupational Safety and Health Administration
HAP	California Hazardous air pollutant Clean Air Act	PEL	Permissible Exposure Limit (OSHA)
HMIS-A	Safety Glasses	PNS	Peripheral Nervous System
HMIS-B	Safety glasses, gloves	PP	California Priority Pollutant under the Clean Water Act
HMIS-C	Safety glasses, gloves, chemical apron	REL	Recommended exposure limit (NIOSH)
HMIS-D	Face shield, gloves, chemical apron	RT	Upper Respiratory Tract
HMIS-E	Safety glasses, gloves, dust respirator	Skin	(SI = Irritation) (SD = Damage) (SA = Absorption) (SS = Sensitizer)
HMIS-F	Safety glasses, gloves, chemical apron, dust respirator	SARA	Superfund Amendments and Reauthorization Act
HMIS-G	Safety glasses, gloves, vapor respirator	STEL	Short Term Exposure Limit (15 minutes)
HMIS-H	Splash goggles, gloves, chemical apron, vapor respirator	TC Lo	Lowest concentration that is toxic to a given species in a given time
HMIS-I	Safety glasses, gloves, dust and vapor respirator	TD Lo	Lowest dose that is toxic to a given species
HMIS-J	Splash goggles, gloves, chemical apron, dust and vapor respirator	TLV	Threshold Limit Value (ACGIH)
HMIS-K	Air line hood or mask, gloves, full chemical suit, boots	TP	California Toxic Pollutant under the Clean Water Act
HMIS-X	Ask Supervisor	TSCA	Toxic Substances Control Act
HS	California Hazardous Substance under the Clean Water Act	TWA	Time Weighted Average (8 hours)
KD	Kidney Damage (nephropathy)	UEL	Upper Explosive Limit

Core Products Co., Inc.

and nCites LLC have compiled the information herein from sources believed to be reliable and up-to-date, and is accurate to the best of our knowledge. However, we cannot give any guarantees regarding information from other sources or the completeness and expressly do not make warranties, nor assume any liability for its use. The information contained herein is provided for reference purposes only and is intended only for persons having relevant technical skills. Because conditions and manner of use are outside of our control, the user is responsible for determining the conditions of safe use of the product. Buyers and users assume all risk, responsibility and liability whatsoever for any and all injuries, losses, or damages to persons or property arising from the use of this product or information.

Print Date 12/18/2015

Supersedes Safety Data Sheet Dated

7/15/2015